











Sarasota County Butterfly Club - Favorite Butterfly Vines

| Common/Botanical name | Image | Growing conditions / flowering | Butterfly Uses |
|---|---|--|---|
| Coral Honeysuckle <i>Lonicera sempervirens</i> Native |  | Height: 12-15' Sun: Best in full sun Soil: slightly acidic soil. Moisture: average water needs Blooms: spring through summer, red-bright yellow flowers | Nectar: Various Butterflies and hummingbirds |
| Pipevines; <i>Aristolochia tomentosa</i> Native <i>Aristolochia littoralis</i> , also <i>Aristolochia elegans</i> Non-native |   | Note: all parts of pipevines are poisonous Height: 20-30 feet Sun: Sun to partial shade Soil: Acidic to neutral soil; well-drained, loamy Moisture: consistently moist soil Blooms: May to June, yellow-green flowers Height: 6-20 feet Sun: Light shade Soil: Slightly acidic soil Moisture: Average water needs Blooms: periodic year-round, maroon flowers | Larval: Polydamus Swallowtail Pipevine Swallowtail Polydamus Swallowtail |

Sarasota County Butterfly Club - Favorite Butterfly Vines

| | | | |
|--|---|--|---|
| <p>Climbing Aster <i>Aster carolinianus</i> Native</p> |  | <p>Height: 12-20 feet, need heavy pruning Sun: Best full sun, sun to partial shade Soil: fertile Moisture: medium Blooms: fall on new growth, lavender; blooms are very fragrant</p> | <p>Nectar: various butterflies Larval: Pearl Crescent</p> |
| <p>Butterfly Pea <i>Clitoria ternatea</i> Non-native</p> |  | <p>Height 4-15', sprawling Full sun to partial shade Soil: sl acidic to neutral Moisture: average Blooms: mid-summer to early fall, blue to deep purple flowers</p> | <p>Larval: Longtailed Skipper</p> |
| <p>Corky Stem Passionvine, <i>Passiflora subarosa</i> Native</p> |  | <p>Height: low growing Full Sun to Light Shade Soil: average, well drained Once established, very drought tolerant Blooms: all year, non-descript small greenish yellow flowers followed by dark purple berries</p> | <p>Larval: Gulf Fritillary and Zebra Longwing</p> |
| <p>Maypop Passion vine, <i>Passiflora incarnata</i> Native Note: there are many hybrid passionvines available but not all accepted by butterflies as larval plants</p> |  | <p>Height: 15-20' Sun: full sun to partial shade Soil: mildly acidic to mildly alkaline Moisture: average Blooms: mid-summer to mid-fall, 3-5" flowers in lavender or purple, last 1 day; followed by The ovoid, green fruit which is edible, if not very tasty.</p> | <p>Larval: Gulf Fritillary and Zebra Longwing</p> |

Sarasota County Butterfly Club - Favorite Butterfly Vines

| | | | |
|---|--|---|---|
| <p>Trumpet Creeper <i>Campus radicans</i> Native</p> |  | <p>Height: 25-25' Sun: Full sun Soil: well-drained, various soil types, neutral ph Moisture: high drought tolerance Bloom: summer; red, orange, yellow, usually reddish-orange; trumpet shaped</p> | <p>Nectar: Various butterflies</p> |
| <p>White Twine Vine <i>Sarcostema clausum</i> Native</p> |  | <p>Vining member of milkweed family Height: 6-12', aggressive rambler can be very difficult to control in the landscape! Sun: Full sun to light shade Soil: usually grows in moist hammock edges or near edges of wetlands Moisture: moist soil conditions Bloom: all year, white flowers</p> | <p>Larval: Queen, Soldier Butterflies</p> |
| <p>Mexican Flame Vine <i>Pseudogynoxys chenopodioides</i> <i>Also Senecio confuses</i> Non-native</p> |  | <p>Height: 8-10' but can be aggressive! Sun: full sun to light shade Soil: not particular about soil type Moisture: once established, drought tolerant Blooms: Peaks in spring thru summer, but may bloom all year; orange-red flowers</p> | <p>Nectar Various Butterflies</p> |